



## Certificate Of Analysis

**Product Name: Refined Glycerine 99.7% (USP GRADE)**

SN.	TEST	SPECIFICATION	RESULT
1	Glycerine Continent, Wt%	99.7% Min	99.8
2	Density @20/ 20 Deg. C	12623 Min	12635
3	Appearance	Clear & Colorless	Clear & Colorless
4	Refractive Index @20 Deg. C	14731Min	14737
5	Color APHA	10 Max	5
6	Water %	0.5 Max	0.20
7	Fatty Acids & Esters (MI 0.2N NaOH/ 50	10 Max	0.35
8	Sulphates, PPM	20 Max	<20
9	Chlorides, PPM	10 Max	<10
10	Heavy Metals as PB, PPM	5 Max	<5
11	Arsenic, PPM	15 Max	<15
12	Halogenated Compounds, PPM	35 Max	<35
13	DEG & related compounds, Wt%	0.1Max	<0.1

[www.chembridgesgroup.com](http://www.chembridgesgroup.com) / [info@chembridgesgroup.com](mailto:info@chembridgesgroup.com)

OFFICE NO. 908 Al Manara, ETA Star Tower, Business Bay,  
P.O. Box 172813, Dubai, U.A.E. Tel No. : +971 4 431 7875